

Addendum

Addendum: Importance of carbohydrate antigen (CA 19-9) and carcinoembryonic antigen (CEA) in the prognosis of patients with duodenal adenocarcinoma: a retrospective single-institution cohort study

Ellery Altshuler¹, Raymond Richhart¹, William King¹, Mahmoud Aryan², Akash Mathavan³, Akshay Mathavan³, Keegan Hones³, Daniel F. Leach III^{3,7}, Logan Pucci¹, Joshua Riklan¹, Pat Haley¹, Ilyas Sahin^{4,5}, Brian Ramnarain^{4,5}, Sherise Rogers^{4,5}, Ibrahim Nassour⁶, Steven Hughes⁶, Thomas J. George^{4,5} and Jesus Fabregas^{4,5}

¹Department of Internal Medicine, University of Florida, Gainesville, FL 32610, USA

²Department of Internal Medicine, University of Alabama at Birmingham, Birmingham, AL 35294, USA

³University of Florida College of Medicine, Gainesville, FL 32610, USA

⁴Division of Hematology and Oncology, Department of Medicine, University of Florida, Gainesville, FL 32610, USA

⁵University of Florida Health Cancer Center, Gainesville, FL 32610, USA

⁶Division of Surgical Oncology, Department of Surgery, University of Florida, Gainesville, FL 32610, USA

⁷Department of Radiation Oncology, University of Florida Health, Gainesville, FL 32601, USA

Published: December 12, 2023

Copyright: © 2023 Altshuler et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#) (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

This article has an addendum: No funding was used for this publication.

Original article: Oncotarget. 2023; 14:351–357. <https://doi.org/10.18632/oncotarget.28406>